

6-C

Table 2. Comparison of largemouth bass and black crappie effort and catch for recent creel seasons in lakes Eustis, Dora/Beauclair, and Griffin.

LAKE	YEAR	Black Crappie Effort ± s.e.	Black Crappie Harvest ± s.e.	Largemouth Bass Effort ± s.e.	Total Largemouth Bass Catch (incl. released fish)		Largemouth Bass Harvest ± s.e.
					All LMB	Legal size LMB	
Eustis	2004-05	12,674 ± 1,779	9,279 ± 1,814	14,695 ± 1,412	5,921 ± 986	3,862	1,526 ± 255
Eustis	2005-06	28,053 ± 3,700	29,472 ± 5,369	20,100 ± 2,029	9,916 ± 1,356	6,509	3,203 ± 504
Eustis	2006-07	29,194 ± 4,345	20,680 ± 3,494	19,639 ± 1,493	7,177 ± 942	5,138	3,105 ± 474
Dora	2004-05	28,682 ± 2,411	31,547 ± 3,400	2,622 ± 548	1,759 ± 809	1,636	66 ± 35
Dora*	2005-06	26,127	38,604	4,309	870	822	695
Dora	2006-07	28,292 ± 2,885	36,734 ± 4,040	3,602 ± 737	422 ± 87	263	214 ± 99
Griffin	2002-03	40,781 ± 3,660	76,668 ± 7,510	724 ± 168	121 ± 64	37	37 ± 19
Griffin	2003-04	52,255 ± 4,005	64,153 ± 5,719	2,649 ± 533	2,813 ± 792	624	167 ± 75
Griffin	2005-06	45,598 ± 3,085	51,215 ± 4,416	4,034 ± 675	2,131 ± 607	961	348 ± 128
Griffin	2006-07	38,167 ± 3,607	46,525 ± 5,110	6,443 ± 1,012	1,450 ± 285	969	519 ± 148

* using an estimated value for one period of missing data. The estimate was derived from the same period in 2004-05 from lakes Dora/Beauclair and the same period in both creel years of Lake Eustis.

Table from FWC Creel Report -2007

John Benton
Fish & Wildlife Commission
Eustis, FL
352.742.6438
john.benton@myfwc.com

FL Fish & Wildlife Commission – Average Electrofishing Catch for Largemouth Bass
 (fish per hour): CPE_COUNT = Total bass

CPE_200 = Catch rate for fish larger than 200 mm (8 inches)

CPE_356 = Catch rate for fish larger than 356 mm (14 inches)

Average of CPE_Count_Mean		YEAR			
LAKE	2004	2005	2006	2007	Grand Total
Apopka	20	37	41	54	37
Beauclai	26	41	57	61	46
Carlton	56	91			74
Dora	53	65	75	84	69
Eustis	166	120	93	100	120
Griffin	57	63	43	32	49
Harris	97	93	87	82	92
Yale	162	149	142		153
Grand Total	80	82	73	67	77


Average of CPE_200_Mean		YEAR			
LAKE	2004	2005	2006	2007	Grand Total
Apopka	13	33	36	50	33
Beauclai	19	25	39	40	31
Carlton	43	74			58
Dora	41	51	67	68	57
Eustis	90	105	82	96	93
Griffin	35	48	42	30	39
Harris	77	79	71	79	77
Yale	66	113	118		95
Grand Total	48	66	62	59	58

Average of CPE_356_Mean		YEAR			
LAKE	2004	2005	2006	2007	Grand Total
Apopka	6	19	16	17	14
Beauclai	10	9	10	15	11
Carlton	23	33			28
Dora	18	19	27	28	23
Eustis	30	48	35	48	41
Griffin	14	16	20	16	17
Harris	40	30	26	32	33
Yale	10	27	25		19
Grand Total	19	25	23	25	23

FL Fish & Wildlife Commission – Average Electrofishing Catch for Largemouth Bass (fish per hour):
 CPE_458 = Catch rate for fish larger than 458 mm (18 inches)
 CPE_Juvies = Catch rate for fish between 200 mm and 356 mm (8 to 14 inches)

Average of CPE_458_Mean	YEAR				
LAKE	2004	2005	2006	2007	Grand Total
Apopka	2	5	3	4	4
Beauclai	2	2	0	3	2
Carlton	8	12			10
Dora	6	4	7	5	5
Eustis	8	10	6	9	8
Griffin	3	2	5	4	4
Harris	9	9	7	8	9
Yale	2	5	9		5
Grand Total	5	6	5	5	5

Average of CPE_Juvies_Mean	YEAR				
LAKE	2004	2005	2006	2007	Grand Total
Apopka	15	17	25	37	23
Beauclai	17	32	47	46	35
Carlton	34	57			45
Dora	35	46	48	56	46
Eustis	136	72	57	51	79
Griffin	43	47	23	16	32
Harris	57	64	60	50	59
Yale	152	122	117		133
Grand Total	61	57	50	42	54



FL Fish and Wildlife Commission: Largemouth bass age distribution from spring 2007 electrofishing samples. This sample does not include any marked fish. Bass stocked by the University of Florida had a fin clip or tag.

Age	% Composition
0	
1	8.7%
2	2.5%
3	48.4%
4	32.5%
5	6.1%
6	0.4%
7	0.0%
8	0.7%
9	0.7%

Note: this figure differs slightly from the one handed out at the technical advisory committee meeting. That figure was for the selected and aged fish only (so many per size class were selected for aging, reducing the number of fish to be sacrificed). In this figure, the aging data was applied to the total length frequency, less any marked fish.